



# Мойки высокого давления серии SPRINT, ELITE

По вопросам продаж и поддержки обращайтесь:

Архангельск (8182)63-90-72,  
Астана+7(7172)727-132,  
Белгород(4722)40-23-64,  
Брянск(4832)59-03-52,  
Владивосток(423)249-28-31,  
Волгоград(844)278-03-48,  
Вологда(8172)26-41-59,  
Воронеж(473)204-51-73,  
Екатеринбург(343)384-55-89,  
Иваново(4932)77-34-06,  
Ижевск(3412)26-03-58,  
Казань(843)206-01-48,  
Калининград(4012)72-03-81,  
Калуга(4842)92-23-67,  
Кемерово(3842)65-04-62,  
Киров(8332)68-02-04,

Краснодар(861)203-40-90,  
Красноярск(391)204-63-61,  
Курск(4712)77-13-04,  
Липецк(4742)52-20-81,  
Магнитогорск(3519)55-03-13,  
Москва(495)268-04-70,  
Мурманск(8152)59-64-93,  
Набережные Челны(8552)20-53-41,  
Нижний Новгород(831)429-08-12,  
Новокузнецк(3843)20-46-81,  
Новосибирск(383)227-86-73,  
Орел(4862)44-53-42,  
Оренбург(3532)37-68-04,  
Пенза(8412)22-31-16,  
Пермь(342)205-81-47,  
Ростов-на-Дону(863)308-18-15,

Рязань(4912)46-61-64,  
Самара(846)206-03-16,  
Санкт-Петербург(812)309-46-40,  
Саратов(845)249-38-78,  
Смоленск(4812)29-41-54,  
Сочи(862)225-72-31,  
Ставрополь(8652)20-65-13,  
Тверь(4822)63-31-35,  
Томск(3822)98-41-53,  
Тула(4872)74-02-29,  
Тюмень(3452)66-21-18,  
Ульяновск(8422)24-23-59,  
Уфа(347)229-48-12,  
Челябинск(351)202-03-61,  
Череповец(8202)49-02-64,  
Ярославль(4852)69-52-93



Our Sprint Series Pressure Washers are available as electric and petrol powered with special integrated features such as steam cleaning and Powerflow+ Technology™ to really bring out the shine.



### 2000E

Pressure (Bar)*	Flow Rate*	Power	Weight (Kg)
140	420 L/H	1900W	9.7

#### PERFORMANCE

Maximum water pressure (PSI)*	2030
Maximum water pressure (Bar)	140
Maximum water flow rate	420 litres per hour
Power (Watts)	1900

#### FEATURES

Instant start & stop system	Yes
Steamclean option	Yes
Spray tips / nozzles	3 Quick Connect; 0°, 15°, Soap
Turbo nozzle wand	Yes
High temperature thermal relief	Yes
Integrated detergent tank	Yes - 1 tank of 0.6 litres
Integrated water tank	Yes
Pump type	Axial Cam
Pump head material	Aluminium
Hose length (m)	6
Cable length (m)	10
Integrated wheels	Yes
Handle	Carry handle
Weight (kg)	9.7
L x W x H (cm)	36 x 30 x 67
Warranty pressure washer	2 years limited consumer**

\* Allowable Pressure and Max Flow per EN 60335-2-79:2012



## 2300E

Pressure (Bar)*	Flow Rate*	Power	Weight (Kg)
160	480 L/H	2500W	12.8

### PERFORMANCE

Maximum water pressure (PSI)*	2320
Maximum water pressure (Bar)	160
Maximum water flow rate	480 litres per hour
Power (Watts)	2500

### FEATURES

Instant start & stop system	Yes
Spray tips / nozzles	2 nozzles
High pressure nozzle	Yes
Low pressure soap nozzle	Yes
Turbo nozzle wand	Yes
High temperature thermal relief	Yes
Integrated detergent tank	Yes - 1 tank of 1.5 litres
Pump type	Axial Cam
Pump head material	Aluminium
Hose length (m)	8
Cable length (m)	10
Integrated wheels	Yes
Handle	Fold-down handle
Weight (kg)	12.8
L x W x H (cm)	51 x 37 x 51
Warranty pressure washer	2 years limited consumer**

\* Allowable Pressure and Max Flow per EN 60335-2-79:2012



## 2300EFP

BRIGGS & STRATTON  
**POWERflow+**  
TECHNOLOGY™

Pressure (Bar)*	Flow Rate*	Power	Weight (Kg)
160	900 L/H	2500W	11.7

### PERFORMANCE

Maximum water pressure (PSI)*	2320
Maximum water pressure (Bar)	160
Maximum water flow rate	900 litres per hour
Power (Watts)	2500

### FEATURES

Instant start & stop system	Yes
Spray tips / nozzles	7 in 1 position nozzle
High temperature thermal relief	Yes
Integrated detergent tank	Yes - 1 tank of 1.5 litres
Pump type	Axial Cam
Pump head material	Aluminium
POWERflow+ Technology™	Yes
Hose length (m)	8
Cable length (m)	10
Integrated wheels	Yes
Handle	Fold-down handle
Weight (kg)	11.7
L x W x H (cm)	51 x 37 x 51
Warranty pressure washer	2 years limited consumer**

\* Allowable Pressure and Max Flow per EN 60335-2-79:2012



## 2200

Pressure (Bar)*	Flow Rate*	Power	Weight (Kg)
152	432 L/H	Briggs & Stratton® 140cc	21

### PERFORMANCE

Maximum water pressure (PSI)*	2200
Maximum water pressure (Bar)	152

Maximum water flow rate	432 litres per hour
<b>FEATURES</b>	
Spray tips / nozzles	3 Quick Connect; 0°, 25°, Soap
Detergent injection system	Yes
High temperature thermal relief	Yes
Pump type	Maintenance free axial cam pump with Easy Start™ technology
Pump head material	Aluminium
Hose length (m)	7.6
Frame	Steel
Handle	Carry handle
Weight (kg)	21
L x W x H (cm)	45 x 45 x 54
Warranty pressure washer	2 years limited consumer**
<b>Engine</b>	
Engine type	Briggs & Stratton® 550E-Series™ OHV
Engine capacity	140cc
<b>FUEL TANK CAPACITY (L)</b>	
Starter	Prime & Pull
Muffler	Super Lo-Tone™
Warranty engine	2 years limited consumer**

\* Allowable Pressure and Max Flow per EN 60335-2-79:2012



When dealing with hard to move dirt, you need a powerful pressure washer with a variety of nozzles to achieve up to 75 times more cleaning power than a typical garden hose. Sprint Pressure Washers are perfect for small cleaning jobs around your home and garden, providing a dependable source of power that responds when you need it. With our electric and petrol powered options, ultimate cleaning is achievable with our high-performance range of pressure washers.

**Clean better, clean brighter.**



Our expertly designed pressure washers feature lightweight components for easy manoeuvrability in a compact form. A fold-down handle for simple storage, an instant start-stop system for quicker cleaning and a fast cleaning turbo nozzle are all part of our focus on innovation.

**Unbeatably swift.**





### **Steam and clean your home.**

Household cleaning can be made easier with the ultimate in steam cleaning power, found exclusively on the Sprint 2000E pressure washer. Whether you need to clean the car with a perfect finish, steam clean your bathroom and kitchen or make your tired bicycle sparkle like new, our 2000E model with Steam and Clean functionality is ideal for your general home cleaning needs.



BRIGGS & STRATTON®  
**POWERflow+**  
TECHNOLOGY™

**7 IN ONE** HIGH PRESSURE HIGH FLOW  
CLEANING SYSTEM



## ELITE

Our Elite Series™ of Pressure Washers have been specifically engineered to handle any task. Powered by reliable Briggs & Stratton® quality engines, our pressure washers deliver superior performance for the most demanding tasks whether around your home or your business.



**2500**

Pressure (Bar)*	Flow Rate*	Pump	Engine
172	522 L/H	Axial Cam	Briggs & Stratton® 190cc

### PERFORMANCE

Maximum water pressure (PSI)*	2500
Maximum water pressure (Bar)*	172
Maximum water flow rate	522 litres per hour

### FEATURES

Spray tips / nozzles	4 Quick Connect; 0°, 15°, 40°, Soap
Detergent injection system	Yes
High temperature thermal relief	Yes
Pump type	Annovi Reverberi™ axial cam pump with Easy Start™ technology
Pump head material	Aluminium
Hose length (m)	9
Frame	Steel
Integrated wheels	Yes
Handle	Fold-down handle
Weight (kg)	28
L x W x H (cm)	63 x 57 x 55
Warranty pressure washer	2 years limited consumer**

Engine	
Engine type	Briggs & Stratton® 675EX-Series™
Engine capacity	190cc
Fuel tank capacity (l)	1

### STARTER

### READYSTART®

Muffler	Super Lo-Tone™
Warranty engine	2 years limited consumer**

\* Allowable Pressure and Max Flow per EN 60335-2-79:2012



**3000**

Pressure (Bar)*	Flow Rate*	Pump	Engine
207	636 L/H	Axial Cam	Briggs & Stratton® 208cc

**PERFORMANCE**

Maximum water pressure (PSI)*	3000
Maximum water pressure (Bar)*	207
Maximum water flow rate	636 litres per hour

**FEATURES**

Spray tips / nozzles	4 Quick Connect; 0°, 15°, 40°, Soap
Detergent injection system	Yes
High temperature thermal relief	Yes
Pump type	Annovi Reverberi™ axial cam pump
Pump head material	Brass
Hose length (m)	9
Frame	Steel
Integrated wheels	Yes
Handle	Fold-down handle
Weight (kg)	33
L x W x H (cm)	63 x 57 x 62
Warranty pressure washer	2 years limited consumer**

**Engine**

Engine type	Briggs & Stratton® CR950 Series™ OHV
Engine capacity	208cc

**FUEL TANK CAPACITY (L)**

Starter	Recoil
Muffler	Lo-Tone™
Warranty engine	2 years limited consumer**

\* Allowable Pressure and Max Flow per EN 60335-2-79:2012



**3000PX**

BRIGGS & STRATTON  
**POWERflow+**  
TECHNOLOGY™

Pressure (Bar)*	Flow Rate*	Pump	Engine
207	1134 L/H	Axial Cam	Briggs & Stratton® 190cc

**PERFORMANCE**

Maximum water pressure (PSI)*	3000
Maximum water pressure (Bar)*	207
Maximum water flow rate	1134 litres per hour

**FEATURES**

Spray tips / nozzles	7 in 1 position nozzle
Integrated detergent tank	Yes - 1 tank of 1.9 litres
High temperature thermal relief	Yes
Pump type	Annovi Reverberi™ axial cam pump with Easy Start™ technology
Pump head material	Aluminium
POWERflow+ Technology™	Yes
Hose length (m)	9
Frame	Steel
Integrated wheels	Yes
Handle	Fold-down handle
Weight (kg)	28
L x W x H (cm)	65 x 56 x 64
Warranty pressure washer	2 years limited consumer**

**ENGINE**

Engine type	Briggs & Stratton® 875EX Series™ OHV
Engine capacity	190cc
Fuel tank capacity (l)	1.1
Starter	ReadyStart®
Muffler	Performance Muffler
Warranty engine	2 years limited consumer**

\* Allowable Pressure and Max Flow per EN 60335-2-79:2012



## 3400

Pressure (Bar)*	Flow Rate*	Pump	Engine
234	636 L/H	Axial Cam	Briggs & Stratton® 250cc

### PERFORMANCE

Maximum water pressure (PSI)*	3400
Maximum water pressure (Bar)*	234
Maximum water flow rate	636 litres per hour

### FEATURES

Spray tips / nozzles	4 Quick Connect; 0°, 15°, 40°, Soap
Detergent injection system	Yes
High temperature thermal relief	Yes
Pump type	Annovi Reverberi™ axial cam pump
Pump head material	Brass
Hose length (m)	9
Frame	Steel
Integrated wheels	Yes
Weight (kg)	33
L x W x H (cm)	66 x 52 x 65
Warranty pressure washer	2 years limited consumer**

Engine	
Engine type	Briggs & Stratton® 1150 Series™ OHV
Engine capacity	250cc
Fuel tank capacity (l)	3

### STARTER

### RECOIL

Muffler	Lo-Tone™
Warranty engine	2 years limited consumer**

\* Allowable Pressure and Max Flow per EN 60335-2-79:2012



## 4000

Pressure (Bar)*	Flow Rate*	Pump	Engine
275	908 L/H	Triplex	Briggs & Stratton® 420cc

### PERFORMANCE

Maximum water pressure (PSI)*	4000
Maximum water pressure (Bar)*	275
Maximum water flow rate	908 litres per hour

### FEATURES

Spray tips / nozzles	5 Quick Connect; 0°, 15°, 25°, 40°, Soap
Detergent injection system	Yes
High temperature thermal relief	Yes
Pump type	Annovi Reverberi™ triplex pump with adjustable pressure regulator
Pump head material	Brass
Hose length (m)	15
Frame	Steel
Integrated wheels	Yes
Weight (kg)	45
L x W x H (cm)	75 x 64 x 70
Warranty pressure washer	2 years limited consumer**

Engine	
Engine type	Briggs & Stratton® 2100 Series™ OHV
Engine capacity	420cc
Fuel tank capacity (l)	6.6

### STARTER

### RECOIL

Muffler	Lo-Tone™
Warranty engine	2 years limited consumer**

\* Allowable Pressure and Max Flow per EN 60335-2-79:2012





Our Briggs & Stratton® Elite Series™ Pressure Washers are built to give you the best functionality you could ever want. To fulfil our promise of ultimate quality to you, we design our pressure washers to meet all of your demands. No matter the task, we are confident that with maximum cleaning agility, coupled with uncompromising levels of cleaning power, even the toughest of jobs will seem like a breeze.

**Ultimate quality, maximum power.**

The durability of our Elite Series™ of pressure washers is standard across our entire range. For demanding domestic and professional tasks that require ultimate performance, our engines are ready when you are. Available with ReadyStart®, our most advanced starting system, allows you to use your engine without any priming and choking – just pull for power! Powerful petrol performance allows you to achieve cleaning results that are second to none.

**Reliability you can trust.**



for



**Convenient and always ready.**

Briggs & Stratton endeavour to make your life easier with advancements in our product technology. We engineer our pressure washers to ensure nothing gets in the way of the ultimate clean. Durable steel frames and integrated wheels are standard features on our Elite range, while our easy and quick to connect nozzles make cleaning quicker than ever.



**Tough cleaning for the professional user.**

Professional cleaning tasks require a more powerful solution, especially when time is of the essence. The Elite 3400 and 4000 pressure washers deliver all the strength you need, and are built with a robust steel frame and feature high quality Annovi Reverberi™ pumping systems.



### По вопросам продаж и поддержки обращайтесь:

Архангельск (8182)63-90-72,  
Астана+7(7172)727-132,  
Белгород(4722)40-23-64,  
Брянск(4832)59-03-52,  
Владивосток(423)249-28-31,  
Волгоград(844)278-03-48,  
Вологда(8172)26-41-59,  
Воронеж(473)204-51-73,  
Екатеринбург(343)384-55-89,  
Иваново(4932)77-34-06,  
Ижевск(3412)26-03-58,  
Казань(843)206-01-48,  
Калининград(4012)72-03-81,  
Калуга(4842)92-23-67,  
Кемерово(3842)65-04-62,  
Киров(8332)68-02-04,

Краснодар(861)203-40-90,  
Красноярск(391)204-63-61,  
Курск(4712)77-13-04,  
Липецк(4742)52-20-81,  
Магнитогорск(3519)55-03-13,  
Москва(495)268-04-70,  
Мурманск(8152)59-64-93,  
Набережные Челны(8552)20-53-41,  
Нижний Новгород(831)429-08-12,  
Новокузнецк(3843)20-46-81,  
Новосибирск(383)227-86-73,  
Орел(4862)44-53-42,  
Оренбург(3532)37-68-04,  
Пенза(8412)22-31-16,  
Пермь(342)205-81-47,  
Ростов-на-Дону(863)308-18-15,

Рязань(4912)46-61-64,  
Самара(846)206-03-16,  
Санкт-Петербург(812)309-46-40,  
Саратов(845)249-38-78,  
Смоленск(4812)29-41-54,  
Сочи(862)225-72-31,  
Ставрополь(8652)20-65-13,  
Тверь(4822)63-31-35,  
Томск(3822)98-41-53,  
Тула(4872)74-02-29,  
Тюмень(3452)66-21-18,  
Ульяновск(8422)24-23-59,  
Уфа(347)229-48-12,  
Челябинск(351)202-03-61,  
Череповец(8202)49-02-64,  
Ярославль(4852)69-52-93